THE POWERFUL, COMPACT 2.1-CHANNEL JBL SPYRO™ system looks and sounds like no other personal sound system out there. With a pair of delicately beautiful satellites and an innocent-looking subwoofer, JBL Spyro components may bring shrinking violets to mind. But they're engineered to pound out rich, authoritative JBL® sound from nearly any multimedia source.

JBL SPYRO™

POWERED SATELLITE SPEAKERS AND SUBWOOFER





JBL SPYRO™

POWERED SATELLITE SPEAKERS AND SUBWOOFER









COMPATIBILITY A stereo mini jack easily connects the JBL Spyro system to a variety of multimedia devices with a minimum of desktop wiring. Enjoy high-quality audio from desktop and laptop computers (any platform), iPod® and other MP3 players, satellite radio, game consoles – you name it.

EASY-TO-USE TOUCH CONTROLS One touch increases or decreases the volume; one touch mutes or unmutes the system. A single control lets you adjust subwoofer output. And the JBL Spyro system remembers your previous settings every time the system is powered on.

ADVANCED TECHNOLOGY JBL Spyro speakers owe their clear, accurate sound and outstanding performance characteristics to proprietary JBL technologies developed specifically for the realities of multimedia sound:

Odyssey® transducers – Aluminum-domed transducers driven by powerful neodymium magnets deliver rich high- and mid-frequency response. They may be small, but they definitely kick.

Atlas™ subwoofer – A large-excursion subwoofer driven by dual neodymium magnets pounds out clean, distortion-free bass.

MAPS (Minimum Audio Parameter Shift) – Volume is good, but the distortion that plagues small speakers at high volume is bad. MAPS suppresses distortion, even at the highest output levels.

COE (Computer-Optimized Equalization) – Proper equalization greatly improves stereo imaging. The JBL Spyro system is computer-optimized to provide a rich, complete soundstage.

OCT (Optimized Compression Topology) – A proprietary compression technology ensures clean, accurate sound at high output levels.

DETAILED TECHNICAL SPECIFICATIONS

Manufacturer: JBL, Inc.
Model Name: JBL Spyro™

Available in: White, Black, Fuchsia or Retro Blue, with chrome accents

Input Requirement: 1/8" (3.5mm) stereo mini jack

Drivers: Satellite: two Odyssey® neodymium transducers

Subwoofer: Atlas™ neodymium transducer

Power: Satellite: 6 watts per channel

Subwoofer: 24 watts 40Hz – 20kHz

 $\label{eq:Frequency Response: 40Hz-20kHz} \text{Frequency Response:} \qquad \text{40Hz}-\text{20kHz}$

Dimensions: Satellite: Diameter – 3-1/2" (90mm)

Height – 3-1/2" (90mm)

Subwoofer: Diameter – 8" (200mm)

Height - 5-1/2" (140mm)

Weight: 6 lb (2.8kg)
Input Impedance: >5k Ohms
Signal-to-Noise Ratio: >80dB

Voltage Input: 120V AC U.S., 100V AC Japan, 230V AC Europe



Harman Consumer Group, Inc.

250 Crossways Park Drive, Woodbury, NY 11797 USA

www.ibl.com

© 2008 Harman International Industries, Incorporated. All rights reserved.

JBL and Odyssey are trademarks of Harman International Industries, Incorporated, registered in the United States and/or other countries.

JBL Spyro and Atlas are trademarks of Harman International Industries, Incorporated. iPod is a trademark of Apple Inc., registered in the U.S. and other countries.

H A Harman International Company